### **HEADROOM REQUIRED**

OPENING HEIGHT	VERTICAL HEADROOM	HORIZONTAL HEADROOM
THRU 8'-0"	18"	17 ½"
OVER 8'-0" THRU 10'-0"	18 ½"	17 ¾"
OVER 10'-0" THRU 12'-0"	18 ¾"	18"
OVER 12'-0" THRU 14'-0"	19"	18 ½"

### BRACKET ATTACHMENT

**END VIEW** 

DOOR SERIES

1000I

1000


ORDER


NUMBER


CONCRETE/MASONRY: POWERS WEDGE-BOLT, % X 1 % " LONG WOOD: LAG SCREW, % - 7 X 3" LONG STEEL: % - 14 x 1" TEKS

## NOTES: 1. OPERATION TYPE MAY BE PUSH-UP OR RIGHT HAND INTERNAL ELECTRIC.


- 2. FOR CRITICAL FITS DUE TO REDUCED AVAILABLE HEADROOM OR SIDEROOM CLEARANCES, CONSULT FACTORY.
- 3. CLEARANCES SHOWN ARE MAXIMUMS. LESSER CLEARANCES MAY BE POSSIBLE.
- 4. UNLESS OTHERWISE NOTED, DOORS SHALL BE PROVIDED WITH SLIDE LOCKS AT EACH END OF BOTTOM BAR, ENGAGING GUIDES IN THE LOCKED POSITION (OPTIONAL CURTAIN MOUNTED MINI LATCH)
- 5. ALL OPENING PREPARATION, ELECTRICAL POWER AND FIELD PAINTING SHALL BE PROVIDED BY OTHERS.
- 6. SERIES 1000I IS AN INSULATED SERIES 1000.
- 7. CURTAIN FINISH SHALL BE SILICONE POLYESTER PRE-PAINT OVER GALVANIZED GRADE 80 STEEL.
- 8. GUIDES, BRACKETS, BOTTOM BAR ANGLE AND HEAD STOPS ARE ZINC COATED.
- STANDARD OPERATION: PUSH-UP FOR OPENING SIZES THROUGH 10'-0" X 10'-0" HAND CHAIN FOR OPENING SIZES OVER 10'-0" X 10'-0".
- 10. MAXIMUM OPENING SIZE: 12'-0" X 14'-0"







### 16 GA GUIDE MOUNTING DETAIL



COMMERCIAL DOOR SERIES: 1000/1000I		
CUSTOMER NUMBER:	DATE:	
CUSTOMER NAME:	CONTACT:	
PROJECT NAME:		

PROJECT LOCATION:

SLIDE LOCK

ADDED OPTIONS

WEATHERSTRIP

TOP HEADER SIDE

OPERATION

ONLY

PLANT:

DRAWN BY:

DATE:

DRAWING NUMBER: SHT: OF

# ROLL UP Roll Up Doors Direct 903 Jan Mar Court Minneola, FL 34711 877.357.DOOR (3667) rollupdoorsdirect.com

# HORIZONTAL HEADROOM 9 3/4 OPENING WIDTH OPENING WIDTH OPENING HEIGHT OPENING HEIGHT CURTAIN BOTTOM BAR ASSEMBLY

**OUTSIDE** 

COLOR

JAMB TYPE

CONC./

MAS.

WOOD

OPENING SIZE

HEIGHT

WIDTH

**INSIDE ELEVATION** 

CURTAIN PUSH REDUCED INTERNAL

CHAIN

UP

OPERATION

ELECTRIC